

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Other means of identification**
- **Trade name:** MANGO 10 X NATURAL FLAVOUR
- **Article number:** AAMXX02
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU4 Manufacture of food products
- **Application of the substance / the mixture** Flavouring agents
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Metarom Australia
117 Stephen Rd
Banksmeadow NSW 2019
Australia
+61 2 9317 5002
- **Further information obtainable from:** info@metarom.com.au
- **Emergency telephone number:**
Poison Information Centre NSW Australia 13 11 26
National Poisons Centre New Zealand 0800 764 766

2 Hazard(s) Identification

- **Classification of the substance or mixture**



GHS02 flame

Flammable liquids – Category 2 H225 Highly flammable liquid and vapour.



GHS05 corrosion

Skin corrosion/irritation – Category 1B H314 Causes severe skin burns and eye damage.

Eye damage/irritation – Category 1 H318 Causes serious eye damage.



GHS07

Skin sensitisation – Category 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS02



GHS05



GHS07

- **Signal word** Danger

- **Hazard-determining components of labelling:**

acetic acid (≥3-<5 %)

4-Hydroxy-2,5-dimethyl-3(2H)-furanone (≥1-≤2.5 %)

butyric acid (≥1-≤2.5 %)

- **Hazard statements**

H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.06.2025

Version number 1

Revision: 23.06.2025

Trade name: MANGO 10 X NATURAL FLAVOUR

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

64-17-5	ethanol ⚠ Flammable liquids – Category 2, H225	≥50-≤100%
64-19-7	acetic acid ⚠ Flammable liquids – Category 3, H226; ⚠ Skin corrosion/irritation – Category 1A, H314; Eye damage/irritation – Category 1, H318; ⚠ Acute toxicity - dermal – Category 4, H312	≥3-<5%
123-68-2	allyl hexanoate ⚠ Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 3, H311; ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Flammable liquids – Category 4, H227	≥2.5-<10%
	Gamma decalactone ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	≥2.5-<10%
3658-77-3	4-Hydroxy-2,5-dimethyl-3(2H)-furanone ⚠ Acute toxicity - oral – Category 4, H302; Skin sensitisation – Category 1, H317	≥1-≤2.5%
123-92-2	Isoamyl acetate ⚠ Flammable liquids – Category 3, H226	≤2.5%
141-78-6	ethyl acetate ⚠ Flammable liquids – Category 2, H225; ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H336	≤2.5%
118-71-8	maltol ⚠ Acute toxicity - oral – Category 4, H302	≤2.5%
107-92-6	butyric acid ⚠ Acute toxicity - dermal – Category 3, H311; ⚠ Skin corrosion/irritation – Category 1B, H314; Eye damage/irritation – Category 1, H318; ⚠ Acute toxicity - oral – Category 4, H302; Flammable liquids – Category 4, H227	≥1-≤2.5%
78-70-6	Linalool ⚠ Skin corrosion/irritation – Category 2, H315; Skin sensitisation – Category 1B, H317; Flammable liquids – Category 4, H227	≥0.1-<1%
106-24-1	geraniol ⚠ Skin sensitisation – Category 1, H317	≥0.1-<1%
142-62-1	hexanoic acid ⚠ Acute toxicity - dermal – Category 3, H311; ⚠ Skin corrosion/irritation – Category 1B, H314; Eye damage/irritation – Category 1, H318	<1%
121-33-5	vanillin ⚠ Acute toxicity - oral – Category 4, H302; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317	≥0.1-<1%
127-91-3	beta-Pinene ⚠ Flammable liquids – Category 3, H226; ⚠ Aspiration hazard – Category 1, H304; ⚠ Skin sensitisation – Category 1, H317	≥0.1-<0.25%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.06.2025

Version number 1

Revision: 23.06.2025

Trade name: MANGO 10 X NATURAL FLAVOUR

· **Protective equipment:** Mouth respiratory protective device.

(Contd. of page 2)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.

· **Ingredients with limit values that require monitoring at the workplace:**

64-17-5 ethanol	
WES	Long-term value: 1880 mg/m ³ , 1000 ppm
64-19-7 acetic acid	
WES	Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm
123-92-2 Isoamyl acetate	
WES	Short-term value: 541 mg/m ³ , 100 ppm Long-term value: 270 mg/m ³ , 50 ppm
141-78-6 ethyl acetate	
WES	Short-term value: 1440 mg/m ³ , 400 ppm Long-term value: 720 mg/m ³ , 200 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.06.2025

Version number 1

Revision: 23.06.2025

Trade name: MANGO 10 X NATURAL FLAVOUR

(Contd. of page 3)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Wear protective gloves / face protection.

9 Physical and Chemical Properties

General Information

Appearance:

Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	78 °C
Flash point:	13 °C
Flammability	Highly flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Explosion limits:

Lower:	3.5 Vol %
Upper:	15 Vol %
Vapour pressure at 20 °C:	59 hPa
Vapour pressure at 50 °C:	280 hPa
Density at 20 °C:	0.85 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	82.3 %
Solids content:	0.0 %

Other information

Particle characteristics	Not applicable.
Physical state	Liquid

10 Stability and Reactivity

- Reactivity** No further relevant information available.
- Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid** No further relevant information available.
- Incompatible materials:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.06.2025

Version number 1

Revision: 23.06.2025

Trade name: MANGO 10 X NATURAL FLAVOUR

(Contd. of page 4)

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · UN-Number · ADG, IMDG, IATA | <p>UN2924</p> |
| <ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG · IATA | <p>2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), ACETIC ACID, GLACIAL)
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), ACETIC ACID, GLACIAL)
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, ACETIC ACID, GLACIAL)</p> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADG | <div style="display: flex; align-items: center;">   </div> |
| <ul style="list-style-type: none"> · Class · Label | <p>3 (FC) Flammable liquids.
3+8</p> |

(Contd. on page 6)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.06.2025

Version number 1

Revision: 23.06.2025

Trade name: MANGO 10 X NATURAL FLAVOUR

(Contd. of page 5)

· **IMDG**· **Class**

3 Flammable liquids.

· **Label**

3/8

· **IATA**· **Class**

3 Flammable liquids.

· **Label**

3 (8)

· **Packing group**· **ADG, IMDG, IATA**

II

· **Environmental hazards:**

Not applicable.

· **Special precautions for user**

Warning: Flammable liquids.

· **Hazard identification number (Kemler code):**

338

· **EMS Number:**

F-E,S-C

· **Segregation groups**

(SGG1) Acids

· **Stowage Category**

B

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **ADG**· **Limited quantities (LQ)**· **Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

D/E

· **IMDG**· **Limited quantities (LQ)**· **Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), ACETIC ACID, GLACIAL), 3 (8), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

64-19-7	acetic acid	S2, S5, S6
123-68-2	allyl hexanoate	S6
107-92-6	butyric acid	S6
106-24-1	geraniol	S6
5392-40-5	Citral	S5
	GERANIOL	S6

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).· **Hazard pictograms**

GHS02

GHS05

GHS07

(Contd. on page 7)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.06.2025

Version number 1

Revision: 23.06.2025

Trade name: MANGO 10 X NATURAL FLAVOUR

(Contd. of page 6)

· **Signal word** Danger

· **Hazard-determining components of labelling:**

acetic acid (≥ 3 - < 5 %)4-Hydroxy-2,5-dimethyl-3(2H)-furanone (≥ 1 - ≤ 2.5 %)butyric acid (≥ 1 - ≤ 2.5 %)

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· **Precautionary statements**

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H227 Combustible liquid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

· **Department issuing SDS:** Regulation and technical service

· **Contact:**

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 2: Flammable liquids – Category 2

Flammable liquids – Category 3: Flammable liquids – Category 3

Flammable liquids – Category 4: Flammable liquids – Category 4

Acute toxicity - oral – Category 3: Acute toxicity – Category 3

Acute toxicity - dermal – Category 4: Acute toxicity – Category 4

Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A

Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin sensitisation – Category 1: Skin sensitisation – Category 1

Skin sensitisation – Category 1B: Skin sensitisation – Category 1B

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Aspiration hazard – Category 1: Aspiration hazard – Category 1

· *** Data compared to the previous version altered.**

AU